

Pending Claims

1. (Previously presented) A method of performing script operations for mobile devices, comprising the steps of:

- (1) sending a request for at least one object;
- (2) sending a list of supported script languages;
- (3) receiving said at least one object; and
- (4) receiving at least one script related to said at least one object.

2. (Previously presented) The method of claim 1, further comprising the step of:

- (5) storing said at least one object and said at least one script.

3. (original) The method of claim 1, further comprising the steps of:

- (5) accessing said at least one object;
- (6) executing said at least one script related to said at least one object.

4. (original) The method of claim 3, wherein step (6) comprises the steps of:

- (a) determining said at least one script's language;
- (b) interpreting said at least one script based on said language;
- (c) receiving page specific global objects; and
- (d) forwarding said page specific global objects.

5. (original) The method of claim 4, wherein step (a) further comprises the step of:

- (i) compiling said at least one script.

6. (original) The method of claim 1, further comprising the step of:

- (5) updating at least one property based on operation of said at least one script.

7. (original) The method of claim 6, wherein step (5) comprises the steps of:

- (a) accessing at least one property associated with page specific global objects;
- (b) updating said at least one property; and
- (c) storing said at least one property.

8. (original) The method of claim 1, wherein step (4) comprises the step of:

receiving information representing said at least one script, wherein said information is accessed instead of said at least one script.

9. (Previously presented) A system for performing script operations for mobile devices, comprising:

- first means for sending a request for at least one object;
- second means for sending a list of supported script languages;
- first means for receiving said at least one object; and
- second means for receiving at least one script related to said at least one object.

10. (original) The system of claim 9, further comprising:

means for storing said at least one object and said at least script.

11. (original) The system of claim 9, further comprising:

means for accessing said at least one object;

means for executing said at least one script related to said at least one object.

12. (previously presented) The system of claim 11, wherein said means for executing comprises:

means for determining a language of said at least one script;

means for interpreting said at least one script based on said language;

third means for receiving page specific global objects; and

means for forwarding said page specific global objects.

13. (original) The system of claim 12, wherein said means for determining further comprises:

means for compiling said at least one script.

14. (original) The system of claim 9, further comprising:

first means for updating at least one property based on operation of said at least one script.

15. (original) The system of claim 14, wherein said means for updating comprises:

means for accessing at least one property associated with page specific global objects;

second means for updating said at least one property; and

means for storing said at least one property.

16. (original) The system of claim 9, wherein said second means for receiving comprises:

second means for receiving information representing said at least one script, wherein said information is accessed instead of said at least one script.

17. (Previously presented) A computer program product comprising a computer usable medium having computer readable program code means embodied in said medium for performing script operations for mobile devices, said computer readable program code means comprising:

a first computer readable program code means for causing a computer to send a request for at least one object;

a second computer readable program code means for causing a computer to send a list of supported script languages;

a third computer readable program code means for causing a computer to receive said at least one object; and

a fourth computer readable program code means for causing a computer to receive at least one script related to said at least one object.

18. (original) The computer program product of claim 17, further comprising:

a fifth computer readable program code means for causing a computer to store said at least one object and said at least script.

19. (original) The computer program product of claim 17, further comprising:

a fifth computer readable program code means for causing a computer to access said at least one object;

a sixth computer readable program code means for causing a computer to execute said at least one script related to said at least one object.

20. (previously presented) The computer program product of claim 19, wherein said sixth computer readable program code means comprises:

a first computer readable program code means for causing a computer to determine a language of said at least one script;

a second computer readable program code means for causing a computer to interpret said at least one script based on said language;

a third computer readable program code means for causing a computer to receive page specific global objects; and

a fourth computer readable program code means for causing a computer to forward said page specific global objects.

21. (original) The computer program product of claim 20, wherein said first computer readable program code means further comprises:

a first computer readable program code means for causing a computer to compile said at least one script.

22. (original) The computer program product of claim 17, further comprising:

a fifth computer readable program code means for causing a computer to update at least one property based on operation of said at least one script.

23. (original) The computer program product of claim 22, wherein said fifth computer readable program code means comprises:

a first computer readable program code means for causing a computer to access at least one property associated with page specific global objects;

a second computer readable program code means for causing a computer to update said at least one property; and

a third computer readable program code means for causing a computer to store said at least one property.

24. (original) The computer program product of claim 17, wherein said fourth computer readable program code means comprises:

a first computer readable program code means for causing a computer to receive information representing said at least one script, wherein said information is accessed instead of said at least one script.

25. (withdrawn) A method for performing script operations in a mobile device, comprising:

- (a) requesting a first object;
- (b) receiving said first object and a first script related to said first object;
- (c) storing said first object and said first script;
- (d) executing said first script, wherein a page specific global object is

defined;

- (e) forwarding said page specific global object; and
- (f) retrieving said forwarded page specific global object for use by a second

script related to a second object.

26. (withdrawn) The method of claim 25, wherein step (d) comprises:
executing said first script while the mobile device is operating in an offline mode.

27. (withdrawn) The method of claim 25, wherein step (d) comprises:
compiling said first script.

28. (withdrawn) The method of claim 25, wherein step (d) comprises:
interpreting said first script.

29. (withdrawn) The method of claim 25, wherein said first object is a first Web page
and said second object is a second Web page.

30. (withdrawn) The method of claim 25, wherein a language of the first script is JavaScript, ECMAScript, Java, Perl, Tcl, Visual BASIC, or VBScript.

31. (withdrawn) A computer program product comprising a computer usable medium having computer readable program code means embodied in said medium for performing script operations, said computer readable program code means comprising:

- (a) a first computer readable program code means for causing a computer to request an object;
- (b) a second computer readable program code means for causing a computer to store said object and a script related to said object;
- (c) a third computer readable program code means for causing a computer to execute said script and thereby cause a page specific global object to be defined;
- (d) a fourth computer readable program code means for causing a computer to forward said page specific global object; and
- (e) a fifth computer readable program code means for causing a computer to retrieve said forwarded page specific global object for use by a second script related to a second object.

32. (withdrawn) The computer program product of claim 31, wherein said third computer readable program code means further comprises a first computer readable program code means for causing a computer to compile said script.

33. (withdrawn) The computer program product of claim 31, wherein said third computer readable program code means further comprises a first computer readable program code means for causing a computer to interpret said script.

34. (withdrawn) The computer program product of claim 31, wherein said first object is a first Web page and said second object is a second Web page.

35. (withdrawn) The computer program product of claim 31, wherein a language of the first script is JavaScript, ECMAScript, Java, Perl, Tcl, Visual BASIC, or VBScript.